

CBD+ VAPORIZER - ACHES (R)
Wildflower | Bellingham, Washington

Testing by Medicine Creek Analytics | Fife, WA
Date received **5/10/2019**
Date reported **5/21/2019**



CANNABINOID POTENCY
Method | HPLC

PARAMETER	RESULT (mg/g)
Δ9 THC	<0.03
THCA	<0.03
CBD	291.8
CBDA	<0.03
CBN	<0.03
CBC	<0.03
THCV	<0.03
CBGA	<0.03
CBG	<0.03
Total THC	<0.03
Total CBD	291.8

SUMMARY

PASS Cannabinoid Potency	PASS Microbiological
PASS Residual Solvent	PASS Mycotoxins

RESIDUAL SOLVENT
Method | Hygrometer

nd = not detected

PARAMETER	RESULT (ppm)
Propane	nd
Butanes	nd
Methanol	nd
Pentanes	nd
Acetone	nd
Isopropanol	nd
Dichloromethane	nd
Hexane	nd
Ethyl Acetate	nd
Chloroform	nd
Cyclohexane	nd
Benzene	nd
Heptane	nd
Toluene	nd
Total Xylenes	nd
Total Residual Solvents	nd

MICROBIOLOGICAL

Method | FDA BAM

nd = not detected

PARAMETER	RESULT (CFU/g)
Bile-Tolerant Gram-Negative	nd
E. Coli	nd
Salmonella	nd

MYCOTOXINS

Method | ELISA

PARAMETER	RESULT (ppb)	WSLCB Limits (ppb)	Pass/Fail
Aflatoxin	<10	<20	Pass
Ochratoxin	<10	<20	Pass

This report was reviewed and approved by



QUALITY MANAGER



3rd-Party lab tests provided by Medicine Creek Analytics. Testing is conducted in an ISO 17025-certified lab facility. Testing methods and parameter limits used are certified by the Washington State Liquor and Cannabis Board (WSLCB). Test results and this corresponding quality assurance report has been reviewed by Wildflower's Quality Manager. This product contains less than 0.03% THC and passed safety tests for microbiological contamination, mycotoxins, and residual solvents.