

H22T3

Scientia LLC
 ODA #: AG-R1055293IHH
 314-401-2501

Sample Type: Other
 Sample Date: 5/29/2019
 Analysis Date: 5/31/2019
 Report Date: 6/5/2019

Metric Batch ID:
 Metric Sample ID:

Harvest/Process Date:
 Report ID:
LS-190605-1

Potency

Potency Analysis Date: 5/31/2019
 Potency Batch ID: CAN_053119A
 Potency Method: JAOAC 2015.1

ND

Total
THC

>98%

Total
CBD

Samples: XBP-MJD-NJR, CMR-WNR-WBF



Analyte	Description	LOQ	RPD	Min.	Max.	Avg.	Unit: %
A9THC	Delta-9 Tetrahydrocannabinol	1.6	0.00	ND	ND	ND	
THCA	Tetrahydrocannabinolic acid	1.6	0.00	ND	ND	ND	
CBD	Cannabidiol	1.6	1.52	>98	>98	>98	
CBDA	Cannabidiolic acid	1.6	0.00	ND	ND	ND	
Δ8THC	Delta-8 Tetrahydrocannabinol*	1.6	0.00	ND	ND	ND	
THCV	Tetrahydrocannabivarin*	1.6	0.00	ND	ND	ND	
CBG	Cannabigerol*	1.6	0.00	ND	ND	ND	
CBGA	Cannabigerolic acid*	1.6	0.00	ND	ND	ND	
CBC	Cannabichromene*	1.6	0.00	ND	ND	ND	
CBCA	Cannabichromenic acid*	1.6	0.00	ND	ND	ND	
CBN	Cannabinol	1.6	0.00	ND	ND	ND	
Total THC	Δ9THC + (THCA × 0.877)		0.00	ND	ND	ND	
Total CBD	CBD + (CBDA × 0.877)		1.52	>98	>98	>98	
Total			1.52	>98	>98	>98	

Compliance

Pesticides	Within limits	Analysis Date: 5/31/2019	Pass
Solvents	Within limits	Analysis Date: 6/5/2019	Pass
Potency	Within limits	Analysis Date: 5/31/2019	Pass

Ian Eustis
 Lab Director

Aaron Troyer
 Chief Science Officer



H22T3

Scientia LLC
 ODA #: AG-R1055293IHH
 314-401-2501

Sample Type: Other
 Sample Date: 5/29/2019
 Analysis Date: 5/31/2019
 Report Date: 6/5/2019

Metric Batch ID:
 Metric Sample ID:

Harvest/Process Date:
 Report ID:
LS-190605-1



Pesticides Sample Data

Pesticides Analysis Date: 5/31/2019
 Pesticides Batch ID: PST_053119A

Method: EN 15662
 Unit: µg/g (ppm)

Pass 

Analyte	XBP-MJD-NJR	CMR-WNR-WBF	Limits	LOQ	Notes	Status	Analyte	XBP-MJD-NJR	CMR-WNR-WBF	Limits	LOQ	Notes	Status
Abamectin	<LOQ	<LOQ	0.5	0.1	-	Pass	Metalaxyl	<LOQ	<LOQ	0.2	0.1	-	Pass
Acephate	<LOQ	<LOQ	0.4	0.1	-	Pass	Methiocarb	<LOQ	<LOQ	0.2	0.1	-	Pass
Acequinocyl	<LOQ	<LOQ	2.0	1.5	-	Pass	Methomyl	<LOQ	<LOQ	0.4	0.1	-	Pass
Acetamiprid	<LOQ	<LOQ	0.2	0.1	-	Pass	Methyl Parathion	<LOQ	<LOQ	0.2	0.2	-	Pass
Aldicarb	<LOQ	<LOQ	0.4	0.1	-	Pass	MGK-264	<LOQ	<LOQ	0.2	0.2	-	Pass
Azoxystrobin	<LOQ	<LOQ	0.2	0.1	-	Pass	Myclobutanil	<LOQ	<LOQ	0.2	0.1	-	Pass
Bifenazate	<LOQ	<LOQ	0.2	0.1	-	Pass	Naled	<LOQ	<LOQ	0.5	0.2	-	Pass
Bifenthrin	<LOQ	<LOQ	0.2	0.1	-	Pass	Oxamyl	<LOQ	<LOQ	1.0	0.1	-	Pass
Boscalid	<LOQ	<LOQ	0.4	0.1	-	Pass	Paclobutrazol	<LOQ	<LOQ	0.4	0.1	-	Pass
Carbaryl	<LOQ	<LOQ	0.2	0.1	-	Pass	Permethrins	<LOQ	<LOQ	0.2	0.1	-	Pass
Carbofuran	<LOQ	<LOQ	0.2	0.1	-	Pass	Phosmet	<LOQ	<LOQ	0.2	0.1	-	Pass
Chlorantraniliprole	<LOQ	<LOQ	0.2	0.1	-	Pass	Piperonyl Butoxide	<LOQ	<LOQ	2.0	0.1	-	Pass
Chlorfenapyr	<LOQ	<LOQ	1.0	0.1	-	Pass	Prallethrin	<LOQ	<LOQ	0.2	0.1	-	Pass
Chlorpyrifos	<LOQ	<LOQ	0.2	0.1	-	Pass	Propiconazole	<LOQ	<LOQ	0.4	0.1	-	Pass
Clofentezine	<LOQ	<LOQ	0.2	0.1	-	Pass	Propoxur	<LOQ	<LOQ	0.2	0.1	-	Pass
Cyfluthrin	<LOQ	<LOQ	1.0	0.5	-	Pass	Pyrethrins	<LOQ	<LOQ	1.0	0.5	-	Pass
Cypermethrin	<LOQ	<LOQ	1.0	0.1	-	Pass	Pyridaben	<LOQ	<LOQ	0.2	0.1	-	Pass
Daminozide	<LOQ	<LOQ	1.0	0.5	-	Pass	Spinosad	<LOQ	<LOQ	0.2	0.1	-	Pass
Diazinon	<LOQ	<LOQ	0.2	0.1	-	Pass	Spiromesifen	<LOQ	<LOQ	0.2	0.1	-	Pass
Dichlorvos (DDVP)	<LOQ	<LOQ	1.0	0.5	-	Pass	Spirotetramat	<LOQ	<LOQ	0.2	0.1	-	Pass
Dimethoate	<LOQ	<LOQ	0.2	0.1	-	Pass	Spiroxamine	<LOQ	<LOQ	0.4	0.1	-	Pass
Ethoprophos	<LOQ	<LOQ	0.2	0.1	-	Pass	Tebuconazole	<LOQ	<LOQ	0.4	0.1	-	Pass
Etofenprox	<LOQ	<LOQ	0.4	0.1	-	Pass	Thiacloprid	<LOQ	<LOQ	0.2	0.1	-	Pass
Etoxazole	<LOQ	<LOQ	0.2	0.1	-	Pass	Thiamethoxam	<LOQ	<LOQ	0.2	0.1	-	Pass
Fenoxycarb	<LOQ	<LOQ	0.2	0.1	-	Pass	Trifloxystrobin	<LOQ	<LOQ	0.2	0.1	-	Pass
Fenpyroximate	<LOQ	<LOQ	0.4	0.1	-	Pass							
Fipronil	<LOQ	<LOQ	0.4	0.1	-	Pass							
Flonicamid	<LOQ	<LOQ	1.0	0.1	-	Pass							
Fludioxonil	<LOQ	<LOQ	0.4	0.1	-	Pass							
Hexythiazox	<LOQ	<LOQ	1.0	0.1	-	Pass							
Imazalil	<LOQ	<LOQ	0.2	0.1	-	Pass							
Imidacloprid	<LOQ	<LOQ	0.4	0.1	-	Pass							
Kresoxim-methyl	<LOQ	<LOQ	0.4	0.1	-	Pass							
Malathion	<LOQ	<LOQ	0.2	0.1	-	Pass							

H22T3

Scientia LLC
 ODA #: AG-R1055293IHH
 314-401-2501

Sample Type: Other
 Sample Date: 5/29/2019
 Analysis Date: 5/31/2019
 Report Date: 6/5/2019

Metric Batch ID:
 Metric Sample ID:

Harvest/Process Date:
 Report ID:
LS-190605-1



Pesticides Quality Control Data

Pesticides QC Analysis Date: 5/31/2019
 Pesticides QC Batch ID: PST_053119A

Method: EN 15662
 Unit: µg/g (ppm)

Laboratory Pesticides Quality Control Results

Method: EN 15662				Units: ppm (µg/g)				Batch ID: PST_053119A									
Pesticide	Blank Result	LOQ	Notes	LCS Result	LCS Spike	LCS% Rec	Limits	Notes	Pesticide	Blank Result	LOQ	Notes	LCS Result	LCS Spike	LCS% Rec	Limits	Notes
Abamectin	nd	0.1		1.0	1.0	95	50 - 150		Imazalil	nd	0.1		0.9	1.0	93	50 - 150	
Acephate	nd	0.1		1.0	1.0	98	50 - 150		Imidacloprid	nd	0.1		1.0	1.0	99	50 - 150	
Acequinocyl	nd	1.0		0.9	1.0	89	50 - 150		Kresoxim-methyl	nd	0.1		1.0	1.0	104	50 - 150	
Acetamiprid	nd	0.1		1.0	1.0	96	50 - 150		Malathion	nd	0.1		1.1	1.0	110	50 - 150	
Aldicarb	nd	0.1		1.0	1.0	99	50 - 150		Metaxyl	nd	0.1		1.0	1.0	104	50 - 150	
Azoxystrobin	nd	0.1		1.1	1.0	107	50 - 150		Methiocarb	nd	0.1		1.2	1.0	118	50 - 150	
Bifenthrin	nd	0.1		1.1	1.0	110	50 - 150		Methomyl	nd	0.1		1.0	1.0	105	50 - 150	
Bifenazate	nd	0.1		1.3	1.0	131	50 - 150		Methyl Parathion	nd	0.1		0.4	1.0	45	30 - 150	
Boscalid	nd	0.1		1.1	1.0	109	50 - 150		MGK-264	nd	0.2		0.4	0.6	68	50 - 150	
Carbaryl	nd	0.1		1.1	1.0	110	50 - 150		Myclobutanil	nd	0.1		1.0	1.0	104	50 - 150	
Carbofuran	nd	0.1		1.0	1.0	97	50 - 150		Naled	nd	0.1		1.4	1.0	142	50 - 150	
Chlorantraniliprole	nd	0.1		1.0	1.0	97	50 - 150		Oxamyl	nd	0.1		0.9	1.0	93	50 - 150	
Chlorfenapyr	nd	0.1		1.0	1.0	103	50 - 150		Paclobutrazol	nd	0.1		0.9	1.0	89	50 - 150	
Chlorpyrifos	nd	0.1		1.0	1.0	101	50 - 150		Permethrin	nd	0.1		1.2	1.0	116	50 - 150	
Clofentezine	nd	0.1		1.1	1.0	107	50 - 150		Phosmet	nd	0.1		1.2	1.0	122	50 - 150	
Cyfluthrin	nd	0.5		0.6	1.0	59	50 - 150		Piperonyl Butoxide	nd	0.1		1.1	1.0	112	50 - 150	
Cypermethrin	nd	0.1		1.0	1.0	99	50 - 150		Prallethrin	nd	0.1		1.1	1.0	107	50 - 150	
Daminozide	nd	0.5		0.2	1.0	19	10 - 150		Propiconazole	nd	0.1		1.1	1.0	107	50 - 150	
Diazinon	nd	0.1		1.0	1.0	104	50 - 150		Propoxur	nd	0.1		1.1	1.0	106	50 - 150	
Dichlorvos	nd	0.5		1.0	1.0	102	50 - 150		Pyrethrins	nd	0.2		1.3	1.0	127	50 - 150	
Dimethoate	nd	0.1		1.0	1.0	102	50 - 150		Pyridaben	nd	0.1		1.0	1.0	99	50 - 150	
Ethoprophos	nd	0.1		1.2	1.0	119	50 - 150		Spinosad A kps	nd	0.1		0.8	1.0	76	50 - 150	
Etofenprox	nd	0.1		1.1	1.0	107	50 - 150		Spinosad D kps	nd	0.1		0.1	0.1	71	50 - 150	
Etoxazole	nd	0.1		1.0	1.0	98	50 - 150		Spiromesifen	nd	0.1		1.1	1.0	108	50 - 150	
Fenoxycarb	nd	0.1		1.1	1.0	110	50 - 150		Spirotetramat	nd	0.1		1.0	1.0	102	50 - 150	
Fenpyroximate	nd	0.1		1.1	1.0	112	50 - 150		Spiroxamine	nd	0.1		0.8	1.0	79	50 - 150	
Fipronil	nd	0.1		1.1	1.0	107	50 - 150		Tebuconazole	nd	0.1		1.1	1.0	109	50 - 150	
Flonicamid	nd	0.1		0.9	1.0	93	50 - 150		Thiacloprid	nd	0.1		1.1	1.0	109	50 - 150	
Fludioxonil	nd	0.1		1.4	1.0	144	50 - 150		Thiamethoxam	nd	0.1		0.9	1.0	93	50 - 150	
Hexythiazox	nd	0.1		1.0	1.0	103	50 - 150		Trifloxystrobin	nd	0.1		1.0	1.0	98	50 - 150	

H22T3

Scientia LLC
 ODA #: AG-R1055293IHH
 314-401-2501

Sample Type: Other
 Sample Date: 5/29/2019
 Analysis Date: 5/31/2019
 Report Date: 6/5/2019

Metric Batch ID:
 Metric Sample ID:

Harvest/Process Date:
 Report ID:
LS-190605-1



Residual Solvents Sample Data

Solvents Analysis Date: 6/5/2019
 Solvents Batch ID: RES_060419A

Method: EPA 5021A
 Unit: µg/g (ppm)

Pass 

Analyte	XBP-MJD-NJR	CMR-WNR-WBF	RPD (%)	Limits	LOQ	Notes	Status
1,4-Dioxane	<LOQ	<LOQ	0.00	380.0	50.0	-	Pass
2-Butanol	<LOQ	<LOQ	0.00	5000.0	250.0	-	Pass
2-Ethoxyethanol	<LOQ	<LOQ	0.00	160.0	50.0	-	Pass
Acetone	<LOQ	<LOQ	0.00	5000.0	250.0	-	Pass
Acetonitrile	<LOQ	<LOQ	0.00	410.0	50.0	-	Pass
Benzene	<LOQ	<LOQ	0.00	2.0	2.0	-	Pass
Butanes	<LOQ	<LOQ	0.00	5000.0	250.0	-	Pass
Cumene	<LOQ	<LOQ	0.00	70.0	50.0	-	Pass
Cyclohexane	<LOQ	<LOQ	0.00	3880.0	50.0	-	Pass
Ethyl Acetate	<LOQ	<LOQ	0.00	5000.0	250.0	-	Pass
Ethyl Ether	<LOQ	<LOQ	0.00	5000.0	250.0	-	Pass
Ethylene Glycol	<LOQ	<LOQ	0.00	620.0	250.0	-	Pass
Ethylene Oxide	<LOQ	<LOQ	0.00	50.0	50.0	-	Pass
Heptane	<LOQ	<LOQ	0.00	5000.0	250.0	-	Pass
Hexanes	<LOQ	<LOQ	0.00	290.0	50.0	-	Pass
Isopropanol (2-Propanol)	<LOQ	<LOQ	0.00	5000.0	50.0	-	Pass
Isopropyl Acetate	<LOQ	<LOQ	0.00	5000.0	250.0	-	Pass
Methanol	<LOQ	<LOQ	0.00	3000.0	250.0	-	Pass
Dichloromethane	<LOQ	<LOQ	0.00	600.0	50.0	-	Pass
Pentanes	<LOQ	<LOQ	0.00	5000.0	250.0	-	Pass
Propane	<LOQ	<LOQ	0.00	5000.0	250.0	-	Pass
Tetrahydrofuran	<LOQ	<LOQ	0.00	720.0	50.0	-	Pass
Toluene	<LOQ	<LOQ	0.00	890.0	50.0	-	Pass
Xylenes	<LOQ	<LOQ	0.00	2170.0	50.0	-	Pass

H22T3

Scientia LLC
 ODA #: AG-R1055293IHH
 314-401-2501

Sample Type: Other
 Sample Date: 5/29/2019
 Analysis Date: 5/31/2019
 Report Date: 6/5/2019

Metric Batch ID:
 Metric Sample ID:

Harvest/Process Date:
 Report ID:
LS-190605-1



Residual Solvents Quality Control Data

Solvents QC Analysis Date: 6/5/2019
 Solvents QC Batch ID: RES_060419A

Method: EPA 5021A
 Unit: µg/g (ppm)

Laboratory Residual Solvent Quality Control Results

Method: EPA 5021A

Units: µg/mL

Batch ID: RES_060419A

Matrix Blank / LCS Results

Analyte	Blank Result	Blank Limit	Notes	LCS Result	LCS Spike	LCS% Rec	Limits	Notes
1,4-Dioxane	< LOQ	50		1039	1000	104	70 - 130	
2-Butanol	< LOQ	50		932	1000	93	70 - 130	
2-Ethoxyethanol	< LOQ	50		978	1000	98	70 - 130	
Acetone	< LOQ	50		1035	1000	104	70 - 130	
Acetonitrile	< LOQ	50		917	1000	92	70 - 130	
Benzene	< LOQ	2		17	20	85	70 - 130	
Butanes								
<i>Butane</i>	< LOQ	50		1090	1000	109	70 - 130	
<i>Isobutane</i>	< LOQ	50		1214	1000	121	70 - 130	
Cyclohexane	< LOQ	50		1032	1000	103	70 - 130	
Ethyl acetate	< LOQ	50		922	1000	92	70 - 130	
Ethyl ether	< LOQ	50		1050	1000	105	70 - 130	
Ethylbenzene	< LOQ	50		1009	1000	101	70 - 130	
Ethylene glycol	< LOQ	250		807	1000	81	70 - 130	
Ethylene oxide	< LOQ	50		941	1000	94	70 - 130	
Heptane	< LOQ	50		955	1000	96	70 - 130	
Hexanes								
<i>n-Hexane</i>	< LOQ	50		1044	1000	104	70 - 130	
<i>2-Methylpentane</i>	< LOQ	50		1005	1000	100	70 - 130	
<i>3-Methylpentane</i>	< LOQ	50		1058	1000	106	70 - 130	
<i>2,2-Dimethylbutane</i>	< LOQ	50		983	1000	98	70 - 130	
<i>2,3-Dimethylbutane</i>	< LOQ	50		945	1000	95	70 - 130	
Isopropanol	< LOQ	50		918	1000	92	70 - 130	
Isopropyl acetate	< LOQ	50		942	1000	94	70 - 130	
Cumene	< LOQ	50		1014	1000	101	70 - 130	
Methanol	< LOQ	50		1009	1000	101	70 - 130	
Dichloromethane	< LOQ	50		943	1000	94	70 - 130	
Pentanes								
<i>Pentane</i>	< LOQ	50		958	1000	96	70 - 130	
<i>Isopentane</i>	< LOQ	50		949	1000	95	70 - 130	
<i>Neopentane</i>	< LOQ	50		1145	1000	115	70 - 130	
Propane	< LOQ	50		885	1000	88	70 - 130	
Tetrahydrofuran	< LOQ	50		937	1000	94	70 - 130	
Toluene	< LOQ	50		1037	1000	104	70 - 130	
Xylenes								
<i>m-Xylene</i>	< LOQ	50		1031	1000	103	70 - 130	
<i>o/p-Xylene</i>	< LOQ	50		1997	2000	100	70 - 130	

H22T3

Scientia LLC
ODA #: AG-R1055293IHH

314-401-2501

Sample Type: Other
Sample Date: 5/29/2019
Analysis Date: 5/31/2019
Report Date: 6/5/2019

Metric Batch ID:

Metric Sample ID:

Harvest/Process Date:
Report ID:
LS-190605-1

Qualifier Flag Descriptions

J	Reported result is an estimate - the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
U	The analyte was not detected in the sample at the estimated detection limit (EDL)
E	Exceeds calibration range
D	Dilution data - result was obtained from the analysis of a dilution
B	Analyte found in sample and associated blank
C	Co-eluting compound
R	Relative Percent Difference (RPD) outside control limits
NR	Analyte not reported because of problems in sample preparation or analysis
ND	Non-Detect
X	Results from reinjection/repeat/re-column data
EMC	Estimated maximum possible concentration - indicates that a peak is detected but did not meet the method required criteria
M	Manual integration
PS	Peaks split
HB	Control acceptance criteria are exceeded high and the associated sample is below the detection limit
LB	Control acceptance criteria are exceeded low and the associated sample exceeds the regulatory limit
ME	Marginal Exceedance
LR	Low Recovery Analyte
LOQ	Limit of Quantitation